Eurofins Polska Sp. z.o.o.
Aleja Wojska Polskiego 90 A
PL-82 200 Malbork
PRACOWNIA MIKROBIOLOGICZNA
ul. Karoliny 4
40-186 Katowice
POLAND
Tel: +48 512 638 040
www.eurofins.pl

AB 1334

Hero Pro LTD
Office 312B
High Street North
182-184 London E6 2J<pl>D4 – Powód uzupełnienia.
Brak term
WIELKA BRYTANIA

Issue date 27.09.2024

Analytical report AR-24-RE-092468-02

Supplement of raport No.: AR-24-RE-092468-01

Sample code 122-2024-00155974

x **Type of sample**	Apatil Complex - 30vcaps
x **Prescriber**	Hero Pro LTD
x **Purchase order date**	12.09.2024
x **Client Purchase order nr.**	116267/01W/09/2024
Reception date	18.09.2024
Transport by	Courier
Sample condition	acceptable
Transport condition	at ambient temp.
x **Date of sampling**	12.09.2024
x **Sampling Person**	Principal
x **Type of sampling**	no data
x **Purpose of the testing**	non-specific
x **Best before date**	08.2026
x **Batch number**	APC07082024
x **Packaging**	słoik
Number of tested samples	1
Start analysis	18.09.2024
End Analysis	22.09.2024

Results / Outcomes

UM276 **Aerobic plate count, Pour plate technique (A)**

Method PN-EN ISO 4833-1:2013-12+A1:2022-06, Total aerobic bacteria 30°C <10>30000000 /g (1-5) PC-Guss-ISO 4833, E-Cultural technique (non-chromogenic media)

Aerobic Plate Count 30°C	< 10	cfu/g

UM2PF **The presence of Salmonella spp., Breeding method with biochemical and serological confirmation (A)**

Method PN-EN ISO 6579-1:2017-04+A1:2020-09, D-Cultural technique (non-chromogenic media)

Salmonella	Not Detected	/25 g

UM7CU **The presence of Listeria monocytogenes, Breeding method with biochemical confirmation (A)**

Method PN-EN ISO 11290-1:2017-07, D-Cultural techn. (chrom. + non-chromogenic media)

Listeria monocytogenes	Not Detected	/25 g

UMIMW **Coagulase positive Staphylococcus D Abs Pres /1 g ISO 6888-3 (A)**

Analytical report AR-24-RE-092468-02

Sample code 122-2024-00155974

AR-24-RE-092468-01

Method	PN-EN ISO 6888-3:2004+AC:2005, D-Cultural technique (MPN tubes)		
Coagulase positive Staphylococcus		Not Detected	/1 g
UMLS5	**The presence of presumptive Escherichia coli, Breeding method with biochemical confirmation (A)**		
Method	PN-ISO 7251:2006, D-Cultural technique (non-chromogenic media)		
Escherichia Coli		Not Detected	/1 g
ZM02A	**Yeasts & Moulds E [PB/MBK/40] <10 >1 500 000 /g (1-4) PYM-PF 3M™ Petrifilm™ Rapid Yeast and Mold Cou (A)**		
Method	PB/MBK/40 issue 01 of 13.12.2017		
Yeasts & Moulds		< 10	cfu/g

A = Method accredited

x = Data provided by the customer

D4 - Reason for completion. No expiry date. The data to be completed were provided by the customer.

Grzywińska Aleksandra

Authorized by:
Marta Pawłowska - Junior Assistant

Approved by Aleksandra Grzywińska
Analytical Service Assistant

1. The results apply to samples received and analyzed.
2. The test results shall not be reproduced except in full without the written permission of Eurofins Polska Sp. z o.o.
3. Laboratory measurement uncertainty is given when it is relevant to the validity of the test result or the application of the test results; it is agreed with the client; if the uncertainty of measurement affects compliance with the specified limit.
4. The client has the right to submit a complaint within 14 days of receiving the analytical report. May be admitted only complaint in writing, by email reklamacje@eurofins.pl or by mail.
5. Approved analytical results made by subcontractors are authorized by persons authorized in the laboratory of the subcontractor.
6. In case a Customer demands a statement of conformity, or a requirement related to a test and the decision making rule is not included in the documents listed above, the Laboratory appoints a rule to be applied.
7. The laboratory is not responsible for the data provided by customers. The data provided may affect the validity of the results.

- END OF REPORT -

Eurofins Polska Sp. z.o.o.
Aleja Wojska Polskiego 90 A
PL-82 200 Malbork
PRACOWNIA MIKROBIOLOGICZNA
ul. Karoliny 4
40-186 Katowice
POLAND
Tel: +48 512 638 040
www.eurofins.pl

AB 1334

Hero Pro LTD
Office 312B
High Street North
182-184 London E6 2JA
WIELKA BRYTANIA

Issue date 27.09.2024

Analytical report AR-24-RE-093899-02

Supplement of raport No.: AR-24-RE-093899-01

Sample code 122-2024-00156000

x **Type of sample**	Apatil Complex - 30vcaps
x **Prescriber**	Hero Pro LTD
x **Purchase order date**	12.09.2024
x **Client Purchase order nr.**	116267/01W/09/2024
Reception date	18.09.2024
Transport by	Courier
Sample condition	acceptable
Transport condition	at ambient temp.
x **Date of sampling**	12.09.2024
x **Sampling Person**	Principal
x **Type of sampling**	no data
x **Purpose of the testing**	non-specific
x **Best before date**	08.2026
x **Batch number**	APC07082024
Number of tested samples	1
Start analysis	18.09.2024
End Analysis	26.09.2024

Results / Outcomes

E8006 **Cadmium content (A)**

Method PN-EN 15763:2010, Inductively coupled plasma ionization mass spectrometry method (ICP-MS)
Eurofins Polska SP. z o.o. (Łódź), accreditation nr. AB 1334

Cadmium content	0,009	mg/kg	± 0,002

E8007 **Arsenic content (A)**

Method PN-EN 15763:2010, Inductively coupled plasma ionization mass spectrometry method (ICP-MS)
Eurofins Polska SP. z o.o. (Łódź), accreditation nr. AB 1334

Arsenic content	0,026	mg/kg	± 0,007

E8008 **Lead content (A)**

Method PN-EN 15763:2010, Inductively coupled plasma ionization mass spectrometry method (ICP-MS)

Analytical report AR-24-RE-093899-02

Sample code 122-2024-00156000

AR-24-RE-093899-01

Eurofins Polska SP. z o.o. (Łódź), accreditation nr. AB 1334

Lead content	0,113		mg/kg	± 0,028

E8009 **Mercury content (A)**

Method PN-EN 15763:2010, Inductively coupled plasma ionization mass spectrometry method (ICP-MS)

Eurofins Polska SP. z o.o. (Łódź), accreditation nr. AB 1334

Mercury content	<0,005	*	mg/kg	0.005 ± 0.001

* = less than the limit of quantification

A = Method accredited

+/- Uncertainty of measurement presented as expanded uncertainty of measurement (95%; k=2). For test results given in the form „<or>", the given uncertainty of measurement applies only to the lower or upper limit of the accredited measuring range, respectively.

x = Data provided by the customer

D4 - Reason for completion. No expiry date. The data to be completed were provided by the customer.

Grzywińska Aleksandra

Authorized by:
Paulina Eppa - Senior Assistant – Chemical Department

Approved by Aleksandra Grzywińska
Analytical Service Assistant

1. The results apply to samples received and analyzed.
2. The test results shall not be reproduced except in full without the written permission of Eurofins Polska Sp. z o.o.
3. Laboratory measurement uncertainty is given when it is relevant to the validity of the test result or the application of the test results; it is agreed with the client; if the uncertainty of measurement affects compliance with the specified limit.
4. The client has the right to submit a complaint within 14 days of receiving the analytical report. May be admitted only complaint in writing, by email reklamacje@eurofins.pl or by mail.
5. Approved analytical results made by subcontractors are authorized by persons authorized in the laboratory of the subcontractor.
6. In case a Customer demands a statement of conformity, or a requirement related to a test and the decision making rule is not included in the documents listed above, the Laboratory appoints a rule to be applied.
7. The laboratory is not responsible for the data provided by customers. The data provided may affect the validity of the results.

- END OF REPORT -

AB 079

TEST REPORT NO 621220/24/GDY/Z2

Replaces test report no. 621220/24/GDY/Z1 of 04.10.2024

Client **HERO PRO LTD** Office 312b, 182 -184 High Street North E6 2JA London	Sample (according to declaration of Client) Sample description: Apatil Complex - 30vcaps Batch: APC07082024 Production date: 07.08.2024 Expiry date: 31.08.2026 Sample number: 570563/24/GDY
Sample reception date: **14.09.2024** Start of analysis **16.09.2024** End of analysis **23.09.2024** Test report date **04.10.2024**	Sample status: no objections Sample received from the Client

Test Method	Unit	Result
* Content of elements PN-EN 15763:2010		
Lead (Pb)	mg/kg	0,20
Arsenic (As)	mg/kg	0,060
Cadmium (Cd)	mg/kg	0,020
Mercury (Hg)	mg/kg	0,0054
* Aerobic colony count at 30°C PN-EN ISO 4833-1:2013-12; PN-EN ISO 4833-1:2013-12/A1:2022-06	cfu/g	$8{,}0x10^{1}$
* Number of yeasts and moulds at 25°C PN-ISO 7954:1999 (withdrawn)	cfu/g	$<1{,}0x10^{1}$
* Presence of coagulase-positive staphylococci (Staphylococcus aureus and other species) in 1 g PN-EN ISO 6888-3:2004; PN-EN ISO 6888-3:2004/AC:2005	in 1 g	Not detected
* Presence of Escherichia coli in 1 g PN-ISO 7251:2006	in 1 g	Not detected
* Presence of Salmonella spp. in 25 g PN-EN ISO 6579-1:2017-04; PN-EN ISO 6579-1:2017-04/A1:2020-09	in 25 g	Not detected
* Presence of Listeria monocytogenes in 25 g PN-EN ISO 11290-1:2017-07	in 25 g	Not detected

Authorized by:
ID: 351, Spectroscopy Laboratory Manager, Spectrometry Laboratory
ID: 458, Senior Analysis Specialist, Microbiology Laboratory
ID: 1489, Senior Analysis Specialist, Microbiology Laboratory

Identification of the change: client details

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.
Laboratory address:
Chwaszczyńska 180, 81-571 Gdynia

J.S. HAMILTON POLAND Sp. z o.o.
TESTING LABORATORY
Chwaszczyńska 180, 81-571 Gdynia, Poland tel. +48 58 766 99 00

AB 079

TEST REPORT NO 621220/24/GDY/Z2

Replaces test report no. 621220/24/GDY/Z1 of 04.10.2024

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited

\# Test performed by external provider

THE END OF THE REPORT

J.S. HAMILTON POLAND Sp. z o.o.
TESTING LABORATORY
Chwaszczyńska 180, 81-571 Gdynia, Poland tel. +48 58 766 99 00